



**UNITED STATES DEPARTMENT OF COMMERCE**  
**Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

*me*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

08/997,035	12/23/97	FUDANUKI	N 040301/0487
------------	----------	----------	---------------

MM22/1207

FOLEY & LARDNER  
3000 K STREET NW  
P O BOX 25696 SUITE 500  
WASHINGTON DC 20007-8696

EXAMINER

LE, D

*# 7*

ART UNIT

PAPER NUMBER

2819

DATE MAILED: 12/07/99

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner of Patents and Trademarks**



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office

**NOTICE OF ALLOWANCE AND ISSUE FEE DUE**

NM22/1207

FOLEY & LARDNER  
3000 K STREET NW  
P O BOX 25696 SUITE 500  
WASHINGTON DC 20007-8696

APPLICATION NO.	FILING DATE	TOTAL CLAIMS	EXAMINER AND GROUP ART UNIT	DATE MAILED
08/997,035	12/23/97	021	LF, D	2819 12/07/99
First Named Applicant	FUDANUKI,	35 USC 154(b) term ext. = 0 Days.		

TITLE OF INVENTION: SEMICONDUCTOR INTEGRATED CIRCUIT WITH MIXED GATE ARRAY AND STANDARD CELL

ATTY'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN. TYPE	SMALL ENTITY	FEE DUE	DATE DUE
2 040301/0487	326-039.000	F34	UTILITY	NO	\$1210.00	03/07/00

**THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.**

**THE ISSUE FEE MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.**

**HOW TO RESPOND TO THIS NOTICE:**

**I. Review the SMALL ENTITY status shown above.**

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

- A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
- B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.

**II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.**

**III. All communications regarding this application must give application number and batch number. Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.**

***IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.***

**PATENT AND TRADEMARK OFFICE COPY**

# Notice of Allowability

Application No.  
**08/997,035**

Applicant(s)  
**Fudanuki**

Examiner  
**Don Le**

Group Art Unit  
**2819**



All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.

☒ This communication is responsive to amendment A filed 10/27/1999.

☒ The allowed claim(s) is/are 1, 3-20, 22 and 23.

☐ The drawings filed on \_\_\_\_\_ are acceptable.

☒ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☒ All ☐ Some\* ☐ None of the CERTIFIED copies of the priority documents have been  
☒ received.

☐ received in Application No. (Series Code/Serial Number) \_\_\_\_\_.

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\*Certified copies not received: \_\_\_\_\_.

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE **THREE MONTHS** FROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

☐ Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.

☒ Applicant MUST submit NEW FORMAL DRAWINGS

☐ because the originally filed drawings were declared by applicant to be informal.

☒ including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No. 5.

☒ including changes required by the proposed drawing correction filed on Oct 27, 1999, which has been approved by the examiner.

☐ including changes required by the attached Examiner's Amendment/Comment.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.

## Attachment(s)

☐ Notice of References Cited, PTO-892

☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). \_\_\_\_\_

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

☐ Interview Summary, PTO-413

☒ Examiner's Amendment/Comment

☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

☒ Examiner's Statement of Reasons for Allowance

Art Unit: 2819

AMDT B

u

12/1/1999

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Johnny Kumar on 11/30/1999.

2. The application has been amended as follows:

claim 10, line 1 replace "2" with --1--.

claim 11, line 1 replace "2" with --1--.

claim 12, line 1 replace "2" with --1--.

### *Allowable Subject Matter*

3. Claims 1, 3-20, 22 and 23 are allowed.


4. The following is an examiner's statement of reasons for allowance:

with respect to claims 1 and 20, in addition to other limitations in the claims, the prior art does not show an integrated circuit having at least one basic cell being configured as a rectangular pattern region having a height substantially identical to a predetermined height and a width equal to a width of a first type cell, the width of the basic cell not being equal to a width of a second type cell.

Art Unit: 2819

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Don Le, whose telephone number is (703) 308-4890. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703)308-0956.



Don Le

Art Unit 2819

December 1, 1999



Michael Tokar  
Supervisory Patent Examiner  
Technology Center 2800